

## WEGA-MODULE2-DA LED




WEGA-MODULE2-DA (Anodised AL)



WEGA-MODULEB-DA (RAL9003)



WEGA-MODULE2-DA (RAL9005)



- Exquisite slim design wall mounted lighting fixture for smooth and comfortable either direct or indirect illumination
- Suitable for all representative areas, especially for offices, hotels, shops, exhibitions, banks or even modern residential areas
- Modern high quality materials:
  - body made of pure aluminum profile available in following surface treatments:
    - anodised AL
    - white matt RAL9003
    - black matt RAL9005
  - extruded opal "milky" polycarbonate diffuser
- elegantné štíhle nástenné svietidlo s kombináciou príjemného a komfortného priameho alebo nepriameho osvetlenia
- vhodné pre použitie pre moderné reprezentačné interiéry, hotely, výstavníky, banky, obchodné priestory, alebo aj pre moderné obytné priestory
- vysokokvalitné materiály:
  - teleso: extrúdovaný AL profil dostupný vo farbách:
    - eloxovaný AL
    - matná biela RAL9003
    - matná čierna RAL9005
  - difúzor: extrúdovaný opálový "mliečny" polykarbonátový profil

### STANDARD FEATURES

### ŠTANDARDNÁ VÝBAVA


- Ready for DALI Dimming
- MidPower LEDs 150lm/W made by either SAMSUNG or OSRAM
- Set of wall mounting accessories
- pripravené pre stmievanie DALI
- MidPower LED 150lm/W typu SAMSUNG alebo OSRAM
- sada pre nástennú montáž

### OPTIONS

### PRÍPLATKY

- Alternative surface treatment is possible (min.order quantity 100pcs)
- povrchová úprava svietidla podľa špecifikácie v RAL (min. 100ks)



**WEGA-MODULE2-DA LED****WEGA-MODULE2-DA**


Type / Typ	Colour / Farba	A x B x C mm	LED Parameters	CRI:	Order Code	Weight
WEGA-MODULE2-DA-DIM-DALI 8W	Anodised AL / Eloxovaný AL	572x50x50 mm	LED 3000K / 1120lm	typ 82	320-B-011-01-00	1,2 kg
WEGA-MODULE2-DA-DIM-DALI 8W	White / biela RAL9003	572x50x50 mm	LED 3000K / 1120lm	typ 82	320-B-011-01-01	1,2 kg
WEGA-MODULE2-DA-DIM-DALI 8W	Black / čierna RAL9005	572x50x50 mm	LED 3000K / 1120lm	typ 82	320-B-011-01-02	1,2 kg
WEGA-MODULE2-DA-DIM-DALI 8W	Anodised AL / Eloxovaný AL	572x50x50 mm	LED 4000K / 1120lm	typ 82	320-B-012-01-00	1,2 kg
WEGA-MODULE2-DA-DIM-DALI 8W	White / biela RAL9003	572x50x50 mm	LED 4000K / 1120lm	typ 82	320-B-012-01-01	1,2 kg
WEGA-MODULE2-DA-DIM-DALI 8W	Black / čierna RAL9005	572x50x50 mm	LED 4000K / 1120lm	typ 82	320-B-012-01-02	1,2 kg
WEGA-MODULE2-DA-DIM-DALI 13W	Anodised AL / Eloxovaný AL	851x50x50 mm	LED 3000K / 1680lm	typ 82	320-B-061-01-00	1,6 kg
WEGA-MODULE2-DA-DIM-DALI 13W	White / biela RAL9003	851x50x50 mm	LED 3000K / 1680lm	typ 82	320-B-061-01-00	1,6 kg
WEGA-MODULE2-DA-DIM-DALI 13W	Black / čierna RAL9005	851x50x50 mm	LED 3000K / 1680lm	typ 82	320-B-061-01-00	1,6 kg
WEGA-MODULE2-DA-DIM-DALI 13W	Anodised AL / Eloxovaný AL	851x50x50 mm	LED 4000K / 1680lm	typ 82	320-B-062-01-00	1,6 kg
WEGA-MODULE2-DA-DIM-DALI 13W	White / biela RAL9003	851x50x50 mm	LED 4000K / 1680lm	typ 82	320-B-062-01-01	1,6 kg
WEGA-MODULE2-DA-DIM-DALI 13W	Black / čierna RAL9005	851x50x50 mm	LED 4000K / 1680lm	typ 82	320-B-062-01-02	1,6 kg
WEGA-MODULE2-DA-DIM-DALI 18W	Anodised AL / Eloxovaný AL	1130x50x50 mm	LED 3000K / 2400lm	typ 82	320-B-111-01-00	2,0 kg
WEGA-MODULE2-DA-DIM-DALI 18W	White / biela RAL9003	1130x50x50 mm	LED 3000K / 2400lm	typ 82	320-B-111-01-01	2,0 kg
WEGA-MODULE2-DA-DIM-DALI 18W	Black / čierna RAL9005	1130x50x50 mm	LED 3000K / 2400lm	typ 82	320-B-111-01-02	2,0 kg
WEGA-MODULE2-DA-DIM-DALI 18W	Anodised AL / Eloxovaný AL	1130x50x50 mm	LED 4000K / 2400lm	typ 82	320-B-112-01-00	2,0 kg
WEGA-MODULE2-DA-DIM-DALI 18W	White / biela RAL9003	1130x50x50 mm	LED 4000K / 2400lm	typ 82	320-B-112-01-01	2,0 kg
WEGA-MODULE2-DA-DIM-DALI 18W	Black / čierna RAL9005	1130x50x50 mm	LED 4000K / 2400lm	typ 82	320-B-112-01-02	2,0 kg
WEGA-MODULE2-DA-DIM-DALI 23W	Anodised AL / Eloxovaný AL	1409x50x50 mm	LED 3000K / 3000lm	typ 82	320-B-161-01-00	2,4 kg
WEGA-MODULE2-DA-DIM-DALI 23W	White / biela RAL9003	1409x50x50 mm	LED 3000K / 3000lm	typ 82	320-B-161-01-01	2,4 kg
WEGA-MODULE2-DA-DIM-DALI 23W	Black / čierna RAL9005	1409x50x50 mm	LED 3000K / 3000lm	typ 82	320-B-161-01-02	2,4 kg
WEGA-MODULE2-DA-DIM-DALI 23W	Anodised AL / Eloxovaný AL	1409x50x50 mm	LED 4000K / 3000lm	typ 82	320-B-162-01-00	2,4 kg
WEGA-MODULE2-DA-DIM-DALI 23W	White / biela RAL9003	1409x50x50 mm	LED 4000K / 3000lm	typ 82	320-B-162-01-01	2,4 kg
WEGA-MODULE2-DA-DIM-DALI 23W	Black / čierna RAL9005	1409x50x50 mm	LED 4000K / 3000lm	typ 82	320-B-162-01-02	2,4 kg

All LED parameters are describing the light source lm output. For the lighting calculation please use LDT file available on [www.sec.sk](http://www.sec.sk)  
 LED parametre sú platné pre LED svetelné zdroje samotné. Pre svetelno-technický výpočet použite LDT súbor na [www.sec.sk](http://www.sec.sk)

## WEGA-MODULE2-DB LED



WEGA-MODULE2-DB (Anodised AL)



- Exquisite slim design wall mounted lighting fixture for smooth and comfortable either direct or indirect illumination
- Suitable for all representative areas, especially for offices, hotels, shops, exhibitions, banks or even modern residential areas
- Modern high quality materials:
  - body made of pure aluminum profile available in following surface treatments:
    - anodised AL
    - white matt RAL9003
    - black matt RAL9005
  - extruded opal "milky" polycarbonate diffuser in "U" shape
- elegantné štíhle nástenné svietidlo s kombináciou príjemného a komfortného priameho alebo nepriameho osvetlenia
- vhodné pre použitie pre moderné reprezentačné interiéry, hotely, výstavníky, banky, obchodné priestory, alebo aj pre moderné obytné priestory
- vysokokvalitné materiály:
  - teleso: extrudovaný AL profil dostupný vo farbách:
    - eloxovaný AL
    - matná biela RAL9003
    - matná čierna RAL9005
  - difúzor: extrudovaný opálový "mliečny" polykarbonátový profil v tvare "U"



WEGA-MODULE2-DB (RAL9003)

### STANDARD FEATURES


### ŠTANDARDNÁ VÝBAVA


- Ready for DALI Dimming
- MidPower LEDs 150lm/W made by either SAMSUNG or OSRAM
- Set of wall mounting accessories
- pripravené pre stmievanie DALI
- MidPower LED 150lm/W typu SAMSUNG alebo OSRAM
- sada pre nástennú montáž

### OPTIONS

### PRÍPLATKY

- Alternative surface treatment is possible (min.order quantity 100pcs)
- povrchová úprava svietidla podľa špecifikácie v RAL (min. 100ks)



**WEGA-MODULE2-DB LED**

WEGA-MODULE2-DB (RAL9005)

<b>WEGA-MODULE2-DB</b>						
Type / Typ	Colour / Farba	A x B x C mm	LED Parameters	CRI:	Order Code	Weight
WEGA-MODULE2-DB-DIM-DALI 8W	Anodised AL / Eloxovaný AL	572x50x65 mm	LED 3000K / 1120lm	typ 82	320-B-013-01-00	1,3 kg
WEGA-MODULE2-DB-DIM-DALI 8W	White / biela RAL9003	572x50x65 mm	LED 3000K / 1120lm	typ 82	320-B-013-01-01	1,3 kg
WEGA-MODULE2-DB-DIM-DALI 8W	Black / čierna RAL9005	572x50x65 mm	LED 3000K / 1120lm	typ 82	320-B-013-01-02	1,3 kg
WEGA-MODULE2-DB-DIM-DALI 8W	Anodised AL / Eloxovaný AL	572x50x65 mm	LED 4000K / 1120lm	typ 82	320-B-014-01-00	1,3 kg
WEGA-MODULE2-DB-DIM-DALI 8W	White / biela RAL9003	572x50x65 mm	LED 4000K / 1120lm	typ 82	320-B-014-01-01	1,3 kg
WEGA-MODULE2-DB-DIM-DALI 8W	Black / čierna RAL9005	572x50x65 mm	LED 4000K / 1120lm	typ 82	320-B-014-01-02	1,3 kg
WEGA-MODULE2-DB-DIM-DALI 13W	Anodised AL / Eloxovaný AL	851x50x65 mm	LED 3000K / 1680lm	typ 82	320-B-063-01-00	1,7 kg
WEGA-MODULE2-DB-DIM-DALI 13W	White / biela RAL9003	851x50x65 mm	LED 3000K / 1680lm	typ 82	320-B-063-01-00	1,7 kg
WEGA-MODULE2-DB-DIM-DALI 13W	Black / čierna RAL9005	851x50x65 mm	LED 3000K / 1680lm	typ 82	320-B-063-01-00	1,7 kg
WEGA-MODULE2-DB-DIM-DALI 13W	Anodised AL / Eloxovaný AL	851x50x65 mm	LED 4000K / 1680lm	typ 82	320-B-064-01-00	1,7 kg
WEGA-MODULE2-DB-DIM-DALI 13W	White / biela RAL9003	851x50x65 mm	LED 4000K / 1680lm	typ 82	320-B-064-01-01	1,7 kg
WEGA-MODULE2-DB-DIM-DALI 13W	Black / čierna RAL9005	851x50x65 mm	LED 4000K / 1680lm	typ 82	320-B-064-01-02	1,7 kg
WEGA-MODULE2-DB-DIM-DALI 18W	Anodised AL / Eloxovaný AL	1130x50x65 mm	LED 3000K / 2400lm	typ 82	320-B-113-01-00	2,1 kg
WEGA-MODULE2-DB-DIM-DALI 18W	White / biela RAL9003	1130x50x65 mm	LED 3000K / 2400lm	typ 82	320-B-113-01-01	2,1 kg
WEGA-MODULE2-DB-DIM-DALI 18W	Black / čierna RAL9005	1130x50x65 mm	LED 3000K / 2400lm	typ 82	320-B-113-01-02	2,1 kg
WEGA-MODULE2-DB-DIM-DALI 18W	Anodised AL / Eloxovaný AL	1130x50x65 mm	LED 4000K / 2400lm	typ 82	320-B-114-01-00	2,1 kg
WEGA-MODULE2-DB-DIM-DALI 18W	White / biela RAL9003	1130x50x65 mm	LED 4000K / 2400lm	typ 82	320-B-114-01-01	2,1 kg
WEGA-MODULE2-DB-DIM-DALI 18W	Black / čierna RAL9005	1130x50x65 mm	LED 4000K / 2400lm	typ 82	320-B-114-01-02	2,1 kg
WEGA-MODULE2-DB-DIM-DALI 23W	Anodised AL / Eloxovaný AL	1409x50x65 mm	LED 3000K / 3000lm	typ 82	320-B-163-01-00	2,5 kg
WEGA-MODULE2-DB-DIM-DALI 23W	White / biela RAL9003	1409x50x65 mm	LED 3000K / 3000lm	typ 82	320-B-163-01-01	2,5 kg
WEGA-MODULE2-DB-DIM-DALI 23W	Black / čierna RAL9005	1409x50x65 mm	LED 3000K / 3000lm	typ 82	320-B-163-01-02	2,5 kg
WEGA-MODULE2-DB-DIM-DALI 23W	Anodised AL / Eloxovaný AL	1409x50x65 mm	LED 4000K / 3000lm	typ 82	320-B-164-01-00	2,5 kg
WEGA-MODULE2-DB-DIM-DALI 23W	White / biela RAL9003	1409x50x65 mm	LED 4000K / 3000lm	typ 82	320-B-164-01-01	2,5 kg
WEGA-MODULE2-DB-DIM-DALI 23W	Black / čierna RAL9005	1409x50x65 mm	LED 4000K / 3000lm	typ 82	320-B-164-01-02	2,5 kg

All LED parameters are describing the light source lm output. For the lighting calculation please use LDT file available on [www.sec.sk](http://www.sec.sk)  
 LED parametre sú platné pre LED svetelné zdroje samotné. Pre svetelno-technický výpočet použite LDT súbor na [www.sec.sk](http://www.sec.sk)